

Village of Carol Stream

SMOKING SHELTER REGULATIONS

The regulations contained herein are based on the current regulations for temporary tent structures and permanent accessory structures in the Village of Carol Stream, and the requirements of the Smoke-Free Illinois Act.

Temporary Smoking Shelters must:

1. Comply with all requirements of the Carol Stream Fire Code, Building Code and Zoning Code (see Zoning Code Sections 16-5-5, 16-5-6 and 16-12-1.)
2. Be permitted in accordance with the procedures contained in Zoning Code Section 16-5-5.
3. Be placed for duration of no more than six months.
4. Be located a minimum of 15 feet away from any entry door, operable window, outdoor eating area or ventilation intake that serves an area where smoking is prohibited.
5. Not be located between the primary building and an adjacent street.
6. Be placed on a suitable hard surface, and be anchored in such a manner as to not become a hazard in severe weather conditions.
7. Not be larger than 150 square feet in area.
8. Only be enclosed on three sides or fewer. The fourth side must have at least one permanently clear opening that is not less than 80 inches in height and 60 inches in width.
9. Not provide food or beverage service, nor allow such consumption within the shelter.

Permanent Smoking Shelters must:

1. Comply with all requirements of the Carol Stream Building and Zoning Codes. (See Zoning Code Sections 16-5-6 and 16-12-1.) A building permit is required.
2. Be located a minimum of 15 feet away from any entry door, operable window, outdoor eating area or ventilation intake that serves an area where smoking is prohibited.
3. Not be located between the primary building and an adjacent street.
4. Be constructed on a suitable hard surface, and be anchored in such a manner as to not become a hazard in severe weather conditions.
5. Not larger than 150 square feet in area.
6. Only be enclosed on three sides or fewer. The fourth side must have at least one permanently clear opening that is not less than 80 inches in height and 60 inches in width.
7. Not provide food or beverage service, nor allow such consumption within the shelter.

Code sections may be viewed at http://www.amlegal.com/carolstream_il/.